



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## Material Safety Data Sheet 1021, Base Gel

### 1. Identification:

Product: 1021  
Product Name: Base gel  
Family: UV Gel  
Chemical Name: N/A

### 2. Hazards Identification:

#### EMERGENCY OVERVIEW

This information may be based on findings from related or similar materials.

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause chemical burn in eye.

#### Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: No specific information available.  
Eye: No specific information available. Contains materials that are essentially nonirritating, but contact may cause slight transient irritation.  
Skin: No specific information available. Contains materials that may cause moderate skin injury (reddening and swelling) and/or sensitization. Prolonged contact may cause blister formation (burns). Since irritation may not occur immediately, contact can go unnoticed.  
Ingestion: No specific information available. Contains materials that may be practically nontoxic.  
Inhalation: No specific information available. Low volatility makes vapor inhalation unlikely. Aerosol can be irritating.  
Sub-Chronic Effects: No specific information available. Limited tests showed no evidence of teratogenicity in animals. A lifetime skin painting study with mice showed no evidence of carcinogenicity.  
NOTE: Refer to Section 11, Toxicological Information for Details

### 3. Composition/Information on Ingredient:

Chemical Identity	CAS#	EINECS#	INCI Name	Exposure OSHA TWA/STE L	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/ OSHA	%
Polyurethane Acrylate Oligomer	Exempt	N/E	Di-Hema Trimethylhexyl Dicarbamate*	N/E	N/E	Not Listed	55-65
Tetraethylene glycol dimethacrylate	109-17-1	203-653-1	PEG-4 Dimethacrylate	N/E	N/E	Not Listed	20-30
Trimethylolpropane Trimethacrylate esters	3290-92-4	221-950-4	Trimethylolpropane Trimethacrylate	N/E	N/E	Not Listed	5-10
Hydroxycyclohexyl phenyl ketone	947-19-3	213-426-9	Hydroxycyclohexyl phenyl ketone	N/E	N/E	Not Listed	0-1
Benzophenone	119-61-9	204-337-6	Benzophenone	N/E	N/E	Not Listed	0-1
D&C Violet #2	81-48-1	201-353-5	CI60725	N/E	N/E	Not Listed	0-1

N/E - None Established  
N/R - Not Reviewed

N/DA - No Data Available\* See section 16  
N/A - Not Applicable



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## Material Safety Data Sheet 1021, Base Gel

<b>Polyurethane Acrylate Oligomer:</b>	Hazard Symbol: Xi Risk Phrases: R36/37/38 Safety Phrases: S3/7, S36/37, S62
<b>Tetraethylene Glycol Dimethacrylate:</b>	Hazard Symbol: Xi Risk Phrases: R36/38 Safety Phrases: S21, S24/25, S26, S41
<b>Trimethylolpropane Trimethacrylate Esters:</b>	Hazard Symbol: Xi Risk Phrases: R36/37/38 Safety Phrases: S26
<b>Hydroxycyclohexyl Phenyl Ketone:</b>	Hazard Symbol: Xi Risk Phrases: R36, R37, R38 Safety Phrases: S26, S37

See Section 16 for Risk and Safety Phrase Key

### 4. First Aid Measures

First Aid for Eye	Flush with plenty of water for 15 minutes and seek medical attention.
First Aid for Skin	Remove contaminated clothing and wash contact area with soap and water for 15 minutes.
First Aid for Inhalation	In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.
First Aid for Ingestion	If appreciable quantities are swallowed, seek medical attention.

### 5. Fire Fighting Measures

<b>Flash Point</b> (°F/°C) >212 °F/100 °C Setaflash	<b>Flammable Limit</b> (vol%) No Data	<b>Auto-ignition Temperature</b> (vol%) No Data
-----------------------------------------------------------	---------------------------------------------	-------------------------------------------------------

#### Method:

Extinguishing Media:	Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.
Fire Fighting Instructions:	Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.
Unusual Hazards:	High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

### 6. Accidental Release Measures

Spill or Release Procedures	Spontaneous polymerization can occur. Eliminate ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Absorb with inert material and dispose. Flush area with water; prevent washings from entering waterways.
-----------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### 7. Handling and Storage

Handling	Avoid contact with skin and eyes. Avoid breathing vapor. Keep container closed when not in use. Avoid prolonged exposure to light. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods ( including shoes ). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential.
Storage	Store in a cool place, away from heat and light. Store at temperatures below 100°F.
Explosion Hazard	High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers.

### 8. Exposure Controls/Personal Protection

Engineering Controls	Local exhaust recommended to control exposure which may result from operations generating aerosols and hot operations generating vapors.
<b>Personal Protective Equipment</b> General	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## Material Safety Data Sheet 1021, Base Gel

Standard EN166 be conducted before using this product . Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/ Face Protection  
Skin Protection  
Respiratory Protection

Chemical splash goggles.  
Impervious gloves (Neoprene).  
A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator r regulations found in 29 CFR 1910.134 or European Standard EN 149.

### 9. Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile		
Light, amber/pink mobile liquid	characteristic acrylate odor	N/A	(H2O=1) : 1.14	N/DA	By Volume : < 0.5		
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure: (mm Hg) @ 20 C:< 0.01	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
Not applicable	N/A	N/A	(mm Hg) @ 20 C:< 0.01	No Data	No Data	No Data	Insoluble
Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)					
>212 °F/100 °C Setaflash	No Data	No Data					

### 10. Stability and Reactivity

**Stability:**  
Normally Stable

**Incompatibility (Materials to Avoid):**  
Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron , rust and string bases.

**Hazardous Decomposition Products:**  
Fumes produced when heated to decomposition may include: carbon monoxide,carbon dioxide.

**Hazardous Polymerization:**  
May occur -- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.

**Conditions to Avoid:**  
Storage >100°F, exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials.

### 11. Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
No information available	No information available	No information available	No information available	No information available

Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA	N/DA	N/DA



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
 Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## Material Safety Data Sheet 1021, Base Gel

### 12. Ecological Information

#### Ecotoxicological Information

Acute Toxicity To Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

#### Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

### 13. Disposal Considerations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations. Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

### 14. Transport Information

<b>DOT (49 CFR 172)</b>	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	None
<b>Emergency Response Guidebook (ERG) #:</b>	<b>N/A</b>
<b>IATA (DGR):</b>	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	None
<b>Emergency Response Guidance (ICAO)#:</b>	<b>N/A</b>
<b>IMO (IMDG):</b>	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
<b>Emergency Schedule (EmS)#:</b>	<b>N/A</b>
<b>Other Information:</b>	<b>Flash point &gt;100°C</b>

### 15. Regulatory Information

#### EU Federal Regulations

Clean Air Act: HAP/ODS	This product contains hazardous air pollutants (HAP's), as defined by the U. S. Clean Air Act. They are as follows: · Benzophenone, CAS# 119-61-9 This product does not contain any Class1 or Class 2 ODS.
Clean Water Act: Priority Pollutant	This product contains no chemicals listed under the EU Clean Water Act Priority Pollutant List.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.


## Material Safety Data Sheet 1021, Base Gel

Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard</li> <li>• Delayed (chronic) health hazard</li> <li>• Reactive hazard</li> </ul>
RCRA	This product is considered not to be a hazardous waste under RCRA (40 CFR 261 ).
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemical for emergency release notification List.
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard</li> <li>• Delayed (chronic) health hazard</li> <li>• Reactive hazard</li> </ul>
SARA Title III: Section 313:	This product contains no chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.
TSCA Section 8(b): Inventory: TSCA Significant New Use Rule:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements. None of the chemicals listed have a SNUR under TSCA.

### International Regulations

(List)	Benzophenone CAS #119-61-9 is on the DSL list. WHMIS = n/da Hydroxycyclohexyl phenyl ketone CAS #947-19-3 is on the DSL list. WHMIS = n/da
--------	--------------------------------------------------------------------------------------------------------------------------------------------

### Labeling according to EC directives – 1999/45/EC

European Community: 	<b>Base Gel:</b> <ul style="list-style-type: none"> <li>• HAZARD SYMBOLS: <b>Xi: Irritant</b></li> <li>• RISK PHRASES: <b>R20: Harmful by inhalation R43: May cause sensitization by skin contact.</b></li> <li>• SAFETY PHRASES: <b>S24/25: Avoid contact with skin and eyes, S28A: After contact with skin, wash immediately with plenty of water, S37: Wear suitable protective gloves, S45: In case of accident, or if you feel unwell, seek medical advise immediately (show the label where possible)</b></li> </ul>
-----------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


### 16. Other Information

#### EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

<b>Hazard Symbol:</b> Xi – Irritants  <b>Risk Phrases:</b> R36/37/38 Irritating to eyes, respiratory system and skin  <b>Safety Phrases:</b> S3/7 Keep container tightly closed in a cool place; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S36/37 Wear suitable protective clothing and gloves; S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Material Safety Data Sheet 1021, Base Gel

### Hazard Rating System (Pictograms)



OSHA PEL for nuisance dust: 15 mg/m<sup>3</sup> (total dust)  
 5 mg/m<sup>3</sup> (respirable dust)

ACGIH PEL for nuisance dust: 10 mg/m<sup>3</sup>

### HMIS:

2	Health
1	Flammability
1	Reactivity

MSDS Prepared by:	RMD
-------------------	-----

Revision History:	01/06/2012 Initial Issue. * Most Magical-Nails gels are composed of oligomers made primarily from urethane (meth)acrylates. Magical-Nails is using the designation Di HEMA Trimethylhexyl Dicarbamate, the official INCI name of urethane dimethacrylate, which is substantially the equivalent of Polyurethane Acrylate Oligomer. 04/24/12 Add P/N 4020270.
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to, Anja Beck Magical-Nails [www.Magical-Nails.de](http://www.Magical-Nails.de), Fon: 0049(0)33835-601423.

MN components are provided on an as is basis without warranties of any kind either expressed or implied. MN does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said MN components.