



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## Material Safety Data Sheet Gel Polish, Gel Nagellack, UV, LED Polish

### 1. Identification:

Product: Gel Polish, UV+LED Nagellack  
Product Name: Nail Gel  
Family: UV, LED Gels  
Chemical Name: N/A

### 2. Hazards Identification:

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause eye irritation.

### Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: No specific information is available for this product. Although, this product opposes only slight irritation concern with all routes of entry.

Eye: No specific information available. Contains materials that are essentially nonirritating, but contact may cause slight transient irritation.

Skin: No specific information available. Contains materials that may cause moderate skin injury (reddening and swelling) and/or sensitization. Prolonged contact may cause blister formation (burns). Since irritation may not occur immediately, contact can go unnoticed.

Ingestion: No specific information available. Contains materials that may be practically nontoxic.

Inhalation: No specific information available. Low volatility makes vapor inhalation unlikely.

Sub-Chronic Effects: No specific information available. Limited tests showed no evidence of teratogenicity in animals. A lifetime skin painting study with mice showed no evidence of carcinogenicity.

NOTE: Refer to Section 11, Toxicological Information for Details

### 3. Composition/Information on Ingredient:

Chemical Identity	CAS#	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/ OSHA	%
Polyurethane Acrylate Oligomer	Exempt	N/E	Di-Hema Trimethylhexyl Dicarbamate*	N/E	N/E	Not Listed	<b>50-60</b>
2-Hydroxyethyl Methacrylate	868-77-9	212-782-2	HEMA	N/E	N/E	Not Listed	<b>15-20</b>
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	Hydroxypropyl methacrylate	N/E	N/E	Not Listed	<b>15-20</b>
Hydroxycyclohexyl phenyl ketone	947-19-3	213-426-9	Hydroxycyclohexyl phenyl ketone	N/E	N/E	Not Listed	<b>0-1</b>
D&C Violet #2	81-48-1	201-353-5	Violet 2/CI60725 Mica, Kann enthalten +/- CI15850, CI42090, CI19140, CI47005, CI77891, CI15880, CI77266	N/E	N/E	Not Listed	<b>0-1</b>
N/E - None Established N/R - Not Reviewed	N/DA - No Data Available N/A - Not Applicable	N/DA - No Data Available N/A - Not Applicable	* See section 16	N/E	N/E	Not Listed	



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## Material Safety Data Sheet Gel Polish, Gel Nagellack, UV, LED Polish

**Polyurethane Acrylate Oligomer:** Hazard Symbol: Xi Risk Phrases: R36/37/38 Safety Phrases: S14, S3/7, S62  
**2-Hydroxy ethyl methacrylate:** Hazard Symbols – Xi Risk Phrases – R36/38, R43 Safety Phrases – S2, S26, S28  
**Hydroxypropyl Methacrylate:** Hazard Symbol: Xi Risk Phrases: R36/37/38, R43 Safety Phrases: S26, S36/37  
**See Section 16 for Risk and Safety Phrase Key**

### 4. First Aid Measures

First Aid for Eye	Flush with plenty of water for 15 minutes and retract eyelids often. Seek medical attention immediately.
First Aid for Skin	Remove contaminated clothing and wash contact area with soap and water for 15 minutes.
First Aid for Inhalation	In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.
First Aid for Ingestion	If appreciable quantities are swallowed, seek medical attention.

### 5. Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
100°C Setaflash	No Data	No Data

Method:

Extinguishing Media: Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires

Fire Fighting Instructions: Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

Unusual Hazards: High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

### 6. Accidental Release Measures

Spill or Release Procedures: Spontaneous polymerization can occur. Eliminate ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal container. Wash spill area with strong detergent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.

### 7. Handling and Storage

Handling: Avoid contact with skin and eyes. Avoid breathing vapor. Keep container closed when not in use. Avoid prolonged exposure to light. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods ( including shoes ). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential. Most acrylic monomers have low viscosities, thus only needing room temperature conditions to facilitate proper pouring techniques. However, viscous type gels such as these may require heating to facilitate proper pouring techniques. To ensure that this happens, product may be heated to 60°C/140°F for not more than 24 hours. Do NOT use localized heat sources such as band heaters to heat/melt product. Do NOT use steam. Hot boxes or hot rooms are recommended for



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## Material Safety Data Sheet

### Gel Polish, Gel Nagellack, UV, LED Polish

heating/melting material. The hot box and/or room should only be set to a maximum temperature of 60°C/140°F. Do not overheat, this may compromise product effectiveness and should be avoided. Refrain from multiple reheatings of product, this will also diminishing the quality of the product.

Storage	Product is extremely light sensitive. If exposed to natural light or UV light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store at temperatures below 100°F/38°C but above the product's freezing point. If no freezing point is given, keep above 32°F/0°C at all times.
Explosion Hazard	High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers.

#### 8. Exposure Controls/Personal Protection

Engineering Controls	Local exhaust recommended to control exposure which may result from operations generating aerosols and hot operations generating vapors.
<b>Personal Protective Equipment</b> General	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product . Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.
Eye/ Face Protection	Wear chemical splash goggles.
Skin Protection	Wear impervious gloves (Neoprene).
Respiratory Protection	A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149

#### 9. Physical and Chemical Properties

<b>Appearance</b> Clear to slight violet, viscous liquid	<b>Odor &amp; Odor Threshold</b> characteristic acrylate odor	<b>pH</b> N/A	<b>Specific Gravity</b> (H <sub>2</sub> O=1) : 1.15	<b>Viscosity</b> N/A	<b>% Volatile</b> By Volume : < 0.5
----------------------------------------------------------------	------------------------------------------------------------------	------------------	--------------------------------------------------------	-------------------------	----------------------------------------

<b>Boiling Point/ Freezing Point</b>	<b>Decomposition Temperature</b>	<b>Octanol/Water Partitioning Coefficient</b> Log Po/w N/A	<b>Vapor Pressure:</b> (mm Hg) @ 20 C : < 0.01	<b>Vapor Density</b>	<b>Evaporation Rate</b>	<b>Ignition</b>	<b>Solubility In Water (20°C)</b> Insoluble
N/DA	N/A			No Data	No Data	No Data	

<b>Flash Point</b> (°F/°C)	<b>Flammable Limit</b> (vol%)	<b>Auto-ignition Temperature</b> (vol%)
> 212°F/100°C Setaflash	No Data	No Data

#### 10. Stability and Reactivity

Stability: Normally Stable	Incompatibility (Materials to Avoid): Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases.
Hazardous Decomposition Products:	Hazardous Polymerization:



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
 Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## Material Safety Data Sheet Gel Polish, Gel Nagellack, UV, LED Polish

Fumes produced when heated to decomposition may include: May occur -- Uncontrolled polymerization may cause rapid carbon monoxide, carbon dioxide. evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.

Conditions to Avoid:

Storage >100°F/38°C , exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials

### 11. Toxicological Information

<b>Acute Oral Toxicity</b>	<b>Acute Dermal Toxicity</b>	<b>Acute Inhalation Toxicity</b>	<b>Irritation – skin</b>	<b>Irritation – Eye</b>
No information available	No information available	No information available	No information available	No information available

Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

<b>Sensitization</b>	<b>Mutagenicity</b>	<b>Sub-chronic Toxicity</b>
N/DA	N/DA	N/DA

### 12. Ecological Information

#### Ecotoxicological Information

Acute Toxicity To Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

#### Chemical Fate Information

<b>Biodegradability</b>	N/DA
<b>Chemical Oxygen Demand</b>	N/DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil

### 13. Disposal Considerations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations. Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

### 14. Transport Information

<b>DOT (49 CFR 172)</b>	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
<b>Emergency Response Guidebook (ERG) #:</b>	N/A
<b>IATA (DGR):</b>	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
<b>Emergency Response Guidance (ICAO)#:</b>	



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
 Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## Material Safety Data Sheet Gel Polish, Gel Nagellack, UV, LED Polish

<b>IMO (IMDG):</b>	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
<b>Emergency Schedule (EmS)#:</b>	
<b>Other Information:</b>	<b>Flash point = 100°C</b>

### 15. Regulatory Information

#### EU Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U. S. Clean Air Act: <ul style="list-style-type: none"> <li>• NONE</li> </ul> This product contains no ODS's
Clean Water Act:	This product contains no chemicals listed under the U. S. Clean Water Act Priority Pollutant List.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard</li> <li>• Delayed (chronic) health hazard</li> <li>• Reactive hazard</li> </ul>
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261).
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances that carry a TPQ.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemical for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 ( 40 CFR 370 ). Its hazards are: <ul style="list-style-type: none"> <li>• IMMEDIATE (acute) HEALTH HAZARD</li> <li>• FIRE HAZARD</li> <li>• REACTIVE HAZARD This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are:  <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard</li> <li>• Delayed (chronic) health hazard</li> <li>• Reactive hazard</li> </ul> </li> </ul>
SARA Title III: Section 313:	This product contains no chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.
TSCA Section 8(b): Inventory:  TSCA Significant New Use Rule:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements. None of the chemicals listed have a SNUR under TSCA.


#### State Regulations

CA Right-to-Know Law:	NONE
-----------------------	------

## Material Safety Data Sheet Gel Polish, Gel Nagellack, UV, LED Polish

California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

### International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	Hydroxypropyl methacrylate CAS #27813-02-1 is on the DSL List. WHMIS = D2B Hydroxycyclohexyl phenyl ketone CAS# 947-19-3 is on the DSL list. WHMIS = n/da 2-Hydroxyethyl methacrylate CAS# 868-77-9 is on the DSL List. WHMIS = n/da
EINECS: European Inventory: 	<ul style="list-style-type: none"> <li>• HAZARD SYMBOLS: <b>Xi</b>: Irritant</li> <li>• RISK PHRASES: <b>R22</b>: Harmful if swallowed, <b>R36/38</b>: Irritating to eyes and skin <b>R43</b>: May cause sensitization by skin contact.</li> <li>• SAFETY PHRASES: <b>S18</b>: Handle and open container with care, <b>S24/25</b>: avoid contact with skin and eyes, <b>S36/37</b>: Wear suitable protective clothing and gloves, <b>S38</b>: in case of insufficient ventilation, wear suitable respiratory equipment.</li> </ul>

### 16. Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):


Hazard Symbol:

Xi – Irritants


Risk Phrases: R36/37/38 Irritating to eyes, respiratory system and skin; R36/38 Irritating to eyes and skin; R43 May cause sensitisation by skin contact

Safety Phrases: S2 Keep out of the reach of children; S3/7 Keep container tightly closed in a cool place; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S28 After contact with skin, wash immediately with plenty of water; S36/37 Wear suitable protective clothing and gloves; S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label

### Hazard Rating System (Pictograms)



### HMIS:



MSDS Prepared by:	JRR
Revision History:	10/18/10 Initial version. Most Magical-Nails gels are composed of oligomers made primarily from urethane methacrylates. Magical-Nails is using the designation Di HEMA Trimethylhexyl Dicarbamate, the official INCI name of urethane dimethacrylate, which is substantially the equivalent of Polyurethane Acrylate Oligomer.

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to, Anja Beck Magical-Nails [www.Magical-Nails.de](http://www.Magical-Nails.de), Fon: 0049(0)33835-601423.



Anja Beck, Akazienweg 6c, 14797 Kloster Lehnin / Fon: 0049(033835-601423)  
Home: [www.Magcal-Nails.de](http://www.Magcal-Nails.de) / E-mail: info@Magical-Nails.de

## **Material Safety Data Sheet** **Gel Polish, Gel Nagellack, UV, LED Polish**

---

MN components are provided on an as is basis without warranties of any kind either expressed or implied. MN does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said MN components.